

Safety Data Sheet



Section 1 - Product Information

Product Name: ultra-mate		Supplier: Intercon Chemical Company
Product Code Number: 0111	Information Phone: 1-314-771-6600	Address: 1100 Central Industrial Drive St. Louis MO 63110
Product use: Dish Machine Detergent	Emergency Contact: CHEMTREC 1-800-424-9300	

Section 2 - Hazard Identification

GHS Classification: Skin Corrosion Category 1C, Eye corrosive Category 1, Oral Toxicity Category 4

Section 2.1 - Label Elements

<p style="text-align: center;">Hazard Pictograms</p> <div style="display: flex; justify-content: space-around; align-items: center;">   </div> <p style="text-align: center;">Signal Word: Danger</p> <p style="text-align: center;">Hazard Statements: Causes severe skin burns and eye damage. Harmful if swallowed.</p>	<p style="text-align: center;">Precautionary Statements:</p> <p>Wear protective gloves and eye protection. Wash thoroughly after handling. Do not breathe mist or dust. IF ON SKIN(or hair): Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts if present and easy to do. Continue rinsing. IF SWALLOWED: Rinse mouth, Do NOT induce vomiting. IF INHALED: Remove to fresh air and keep at rest position comfortable for breathing. Immediately call a POISON CENTER or physician.</p>
--	---

Section 3 - Composition

Chemical Name	CAS #	Percent w/w
Sodium Metasilicate	6834-92-0	34
Sodium Hydroxide	1310-73-2	30
Sodium Tripolyphosphate	7758-29-4	30

Section 4 - First Aid Measures

IF ON SKIN(or hair): Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts if present and easy to do. Continue rinsing.
IF INHALED: Remove to fresh air and keep at rest position comfortable for breathing
IF SWALLOWED: Rinse mouth, Do NOT induce vomiting.
Immediately call a POISON CENTER or physician.

Section 5 - Fire and Explosion Hazard Data

Flash Point:	Limits	Extinguishing Media:	Special Fire Fighting Procedures: Avoid exposure to fumes or vapors. Wear self-contained positive pressurized breathing apparatus MSHA/NIOSH Approved or equivalent to maintain TLV. UNUSUAL FIRE & EXPLOSION HAZARD: Product will not burn.
none	LEL: NA UEL: NA	Water spray or fog, foam, dry chemical, carbon dioxide or alcohol foam, if product involved.	

Section 6 - Accidental Release Measures

Sweep up spills and dispose of in suitable containers

Section 7 - Handling and Storage

For institutional and industrial use. Not intended for consumer use. Store locked up in original closed container.
--

Section 8 - Exposure Controls/PPE

Ingredient	OSHA PEL:	ACGIH TLV	PPE	General Hygiene Considerations:
Sodium Metasilicate	2mg/m ³	2mg/m ³	Respiratory: not normally required	Handle in accordance with good industrial hygiene and safety practices. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.
Sodium Hydroxide	2mg/m ³	2mg/m ³	Eye: safety glasses, face shield	
Sodium Tripolyphosphate	15mg/m ³	10mg/m ³	Skin: chemical resistant gloves	
			Ventilation: Normal Room Ventilation	

Section 9 - Physical and Chemical Properties

Appearance	odor	odor threshold	pH	Melting Point	Boiling point	Evaporation rate	Flammability	Upper/lower flammability limits	Vapor pressure
white powder	chlorine	NE	NA	NE	NE	>1(water =1)	NA	NA	NA
Vapor Density	Density	Specific Gravity	pH(use dil)	Solubility (water 77° F)	Partition coefficient	Auto Ignition temp	Viscosity	Decomposition Temperature	
NA	NA	NA	14	>10%	NE	NA	Thin	NA	

Section 10 - Stability and Reactivity

Product is stable.

Hazardous Polymerization: Will not occur.

Incompatibility (Materials to Avoid): Strong acids, Ammonia..

Hazardous Decomposition Products: Chlorine-containing gases can be produced. Traces of phosgene can be liberated at temperatures above 400°F.

Section 11- Toxicological Information

ingredient	Acute toxicity(oral LD50) rat	Acute toxicity(derm. LD50)rabbit	Skin and Eye	Carcinogen	Mutagen	Reproduct. Toxicity	STOST -single Exposure	STOST Repeated exposure
Sodium Metasilicate	1500-3200mg/kg	NE	corrosive	No	No	none	none	none
Sodium Hydroxide	200mg/kg	1350mg/kg	corrosive	No	No	none	none	none
Sodium Tripolyphosphate	> 5000mg/kg	>7000mg/kg	eye-irritating	No	No	none	none	none

Other:

Section 12 - Ecological Information

No information available

Section 13 - Disposal Considerations

This product in its original form is not defined as a hazardous waste by the RCRA. Dispose of in accordance with local, state and federal regulations.

Section 14 - Transport Information

UN number	Basic Description(DOT)	Class	Packing Group	LTD QTY
UN3262	Corrosive Solid, Basic, Inorganic, n.o.s.(contains sodium hydroxide)	8	III	11lbs

Section 15 - Regulatory Information

SARA Title 3: Does not contain reportable chemicals under sections 302, 304, or 313 of Title III of the Superfund amendments and Reauthorization Act of 1986.

CERCLA: Sodium Hydroxide. For more information consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68

Section 16 - Other Information

WHMIS:		HMIS: Health - 3	Flam. - 0	R - 1	PPE- B
Date Prepared: 04-07-2015	Prepared by: Environmental, Health and Safety Administrator.				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with materials or in any process, unless specified in the text.

Legend for Abbreviations: NA - not applicable NE - Not Established