





# Safety Data Sheet

## Section 1 - Product Information

		Supplier:	Luster Professional	
Product Name: Luster PROFESSIONAL All-Temp Detergent		Address:	1100 Central Industrial Drive	
Product Code Number: 7-46	Emergency Contact: CHEMTREC 1-800-424-9300		St. Louis, MO 63110	
Product use: Dish Machine Detergent		Phone:	209-587-8370	

## Section 2 - Hazard Identification

GHS Classification:	Precautionary Statements
Skin Corrosive: Category 1B, Serious Eye Damage: Category 1, Oral toxicity: Category 4, Corrosive to Metals: Category 1	<b>P234:</b> Keep only in original packaging. <b>P260:</b> Do not breathe dust/fume/gas/mist/vapors/spray. <b>P264+P265:</b> Wash hands thoroughly after handling. Do not touch eyes. <b>P270:</b> Do not eat, drink or smoke when using this product. <b>P280:</b> Wear protective gloves/protective clothing/eye protection/face protection. <b>P301+P330+P331: IF SWALLOWED:</b> Rinse mouth. Do NOT induce vomiting. <b>P316:</b> Get emergency medical help immediately. <b>P302+P361+P354: IF ON SKIN:</b> Take off Immediately all contaminated clothing. Immediately rinse with water for several minutes. <b>P363:</b> Wash contaminated clothing before reuse. <b>P304+P340: IF INHALED:</b> Remove person to fresh air and keep comfortable for breathing. <b>P321:</b> Specific treatment see section 4 on SDS. <b>P305+P354+P338: IF IN EYES:</b> Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. <b>P390:</b> Absorb spillage to prevent material damage. <b>P405:</b> Store locked up. <b>P501:</b> Dispose of contents/container in accordance with local/regional/national/international regulations(to be specified).
Signal Word: DANGER	
Hazard Statements:	
H314: Causes severe skin burns and eye damage. H290: May be corrosive to metals. H302: Harmful if swallowed.	
 	

## Section 3 - Composition

Chemical Name	CAS #	Percent w/w
Potassium Hydroxide	1310-58-3	14
Sodium Hydroxide	1310-73-2	16

## Section 4 - First Aid Measures

IF ON SKIN: Flush with flowing water for at least 15 minutes or until slippery feeling disappears. Get medical attention for any burns that may occur. Wash contaminated clothing before reuse.

IF IN EYES: Flush with flowing water for 15 min. Remove contact lenses, if present and easy to do so. Continue Rinsing. Get medical help.

IF SWALLOWED: Rinse mouth. Do not induce vomiting. Get emergency medical help immediately.

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing.

## Section 5 - Fire and Explosion Hazard Data


Flash Point:	Limits	Extinguishing Media:	Special Fire Fighting Procedures:
none	LEL	NA	Avoid exposure to fumes or vapors. Wear self-contained positive pressurized breathing apparatus MSHA/NIOSH Approved or equivalent to maintain TLV. <b>UNUSUAL FIRE &amp; EXPLOSION HAZARD:</b> Product will not burn.
	UEL	NA	

## Section 6 - Accidental Release Measures

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Stop leak if safe to do so. Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). Scoop up material and place in a disposal container. Absorb spillage to prevent material damage. See section 13 for advice on waste disposal.

## Section 7 - Handling and Storage

Do not get in eyes, on skin, or on clothing. Avoid breathing dust/fume/gas/mist/vapors/spray. Handle and open container with care. Do not eat, drink or smoke when using this product. Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking. Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking. Store locked up. Store upright in original closed container.

Section 8 - Exposure Controls/PPE									
Ingredient	OSHA PEL:	ACGIH TLV	PPE		General Hygiene Considerations:				
Potassium Hydroxide	2mg/m <sup>3</sup>	2mg/m <sup>3</sup>	Respiratory:	not normally required	Handle in accordance with good industrial hygiene and safety practices. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.				
Sodium Hydroxide	2mg/m <sup>3</sup>	2mg/m <sup>3</sup>	Eye:	safety glasses, face shield					
			Skin:	Apron, alkali proof gloves					
			Ventilation:	Normal room ventalization					
Section 9 - Physical and Chemical Properties									
Appearance	odor	odor threshold	pH	Melting Point	Boiling point	Evaporation rate	Flammability	Upper/lower flammibility limits	Vapor pressure
red liquid	mild	NE	14	NE	212°F	>1(water =1)	NA	NA	17mm Hg
Vapor Density	Density (lbs/gal)	Specific Gravity	pH(use dil)	Solubility	Partition coefficient	Auto Ignition temp	Viscosity	Decomposition Temp	
0.62(air =1)	11.07lbs/gal	1.33	13	100% in water	NE	NA	Thin	NE	
Section 10 - Stability and Reactivity									
Product is stable, hazardous polymerization will not occur. Incompatible with strong acids. If burned, normal combustion products: Carbon Dioxide, Carbon Monoxide, Nitrous Oxides.									
Section 11- Toxicological Information									
Ingredient	Acute toxicity (oral LD50) rat	Acute toxicity (derm. LD50)rabbit	Eye	Carcinogen	Mutagen	Reproduct. Toxicity	STOST -single Exposure	STOST Repeated exposure	
Potassium Hydroxide	214 mg/kg	not listed	corrosive	Not listed	No info	No info	No info	No info	
Sodium Hydroxide	200 mg/kg	1350mg/kg	corrosive	Not listed	No Info	No info	No info	No info	
Section 12 - Ecological Information					Section 13 - Disposal Considerations				
Fish toxicity not available. Biodegradability not available. Toxic to aquatic life through a raise in pH to toxic levels.					Products covered by this SDS, in their original form, are considered corrosive waste, waste code D002, according to RCRA (40 CFR 261). Do not allow this material to drain into sewers/water supplies. Dispose of in accordance with applicable Federal, State and Local regulations.				
Section 14 - Transport Information									
UN number	Basic Description(DOT)					Class	Packing Group	LTD QTY	
UN1719	Caustic Alkali Liquids, n.o.s(Contains potassium hydroxide, sodium hydroxide)					8	II	< 1 L	
UN number	Basic Description(IATA)					Class	Packing Group	LTD QTY	
UN1719	Caustic Alkali Liquids, n.o.s(Contains potassium hydroxide, sodium hydroxide)					8	II	< 0.1 L	
UN number	Basic Description(IMDG)					Class	Packing Group	LTD QTY	
UN1719	Caustic Alkali Liquids, n.o.s(Contains potassium hydroxide, sodium hydroxide)					8	II	< 1 L	
Section 15 - Regulatory Information									
SARA Title 3: Does not contain reportable chemicals under sections 302, 304, or 313 of Title III of the Superfund amendments and Reauthorization Act of 1986.									
CERCLA: Sodium Hydroxide (RQ = 1,000 lbs), Potassium Hydroxide (RQ = 1,000 lbs). For more information consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68.									
	<b>Warning:</b> This product can expose you to chemicals including STRONG INORGANIC ACID MISTS CONTAINING SULFURIC ACID which are known to the State of California to cause cancer and/or birth defects or other reproductive harm. For more information go to <a href="http://www.P65warnings.ca.gov">www.P65warnings.ca.gov</a>								
Section 16 - Other Information									
			HMIS:	Health - 3	Flam. - 0	R - 1	PPE - D		
Date Prepared: 09 Jun 2023			Prepared by: Director of Technical Services, Research and Development						
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with materials or in any process, unless specified in the text.									
Legend for Abbreviations: NA - not applicable NE - Not Established									