Safety Data Sheet

		S	ection 1 - Product Info	rmation				
Product Name: Re	eady To Go Glass & Multi-Surfa	ace Cleaner			Supplier:	Intercon Chemical Company		
Product Code Nu	mber: RGLS	Information P	hone: 1-314-771-6600		Address	1100 Central Industrial Drive		
Product Use: Read	dy to use glass cleaner	Emergency Co	ntact: CHEMTREC 1-800-424-9	300	Address:	St. Louis MO 63110		
		Se	ection 2 - Hazard Ident	tification		•		
			e Toxicity-Inhalation (Category Section 2.1 - Label Ele	4) Precaut not surface, sparks closed. r and receiving equ	ionary Stateme	ents: nd other ignition sources. No smoking.		
	Signal Word: Warning		P242: Use only non-sparking tools.					
	Hazard Statements:		P243: Take precautionary me P261: Avoid breathing dust/fu	-	-			
H316: Causes mild skin irritation H320: Causes eye irritation H332: Harmful if inhaled H336: May cause drowsiness or dizziness		 P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/eye protection. P370+P378: In case of fire: Use Class B fire extinguisher to extinguish. P303+P361+P353: IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower]. P332+P317: If skin irritation occurs: Get medical help. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. P337+P317: If eye irritation persists: Get medical help. P301+P317: IF SWALLOWED: Get medical help. P302: Rinse mouth. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P317: Get emergency medical help. P321: Specific treatment see section 4 on SDS. P403+P233+P235: Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405: Store locked up. P501: Dispose of contents/container in accordance with local/regional/national/international regulations(to be specified). 						
			Section 3 - Composition	ition				
	Chemical Name			CAS #		Percent w/w		
	Isopropanol			7-63-0		1		
	2-butoxy ethanol		11	1				
Eyes: Rinse cautio Inhalation: Remo	rater for at least 15 minutes. T usly with water for at least mi	ake off contaminate nutes. Remove cont	Section 4 - First Aid Mo	e asures reuse. If skin irritat o do - continue rir				
			n 5 - Fire and Explosion			or Avoid experimente fumes en venere		
Flash Point:	Limits LEL: NA	Water spray or	ttinguishing Media: fog, foam, dry chemical, , alcohol foam, if product is	Special Fire Fighting Procedures: Avoid exposure to fumes or vapors Wear self-contained positive pressurized breathing apparatus MSHA/NIOSH Approved or equivalent to maintain TLV. UNUSUAL FIRE & EXPLOSION HAZARD: Use water spray to cool				
110-1	UEL: NA		-		adjacent fire exposed containers. Product may splatter if temperature exceeds boiling point.			

		-	50	ction 7 - Ha	ndling and	Storage			
or institutiona	l and industrial	use only, not intende							
		use only, not intende		tion 8 - Exp	-				
				лоп 8 - слр	PPE		<u> </u>		
0		OSHA PEL:			not normally required		General Hygiene Considerations: Handle in accordance with good industrial hygiene an		
opropanol		400ppm	400ppm			quirea		s. Provide suitable facilities	
-butoxy ethan	01	50ppm	20ppm		safety glasses		0	ushing of the eyes and body	y in case of
					water proof glo		contact or splas	sh hazard.	
			Castian	-	Normal room v				
			Section	9 - Physical	and Chemic	Cal Propertion	es	Upper/lower	Vapor
ppearance	odor	odor threshold	pН	Melting Point	Boiling point	rate	Flammability	flammability limits	pressure
lue liquid	characteristic	NE	10.6	NE	200ºF	1.0(water =1)	105ºF	NE/NE	25mm Hg
						. , ,			Ĵ
	Density	Constitution of the		Colubility (11 C)	Partition coefficient	Auto Ignition	\//aa'	Decomposition Torre	
/apor Density		Specific Gravity	pH(use dil)	Solubility(H ₂ O)		temp	Viscosity	Decomposition Temp	
1.5(air = 1)	8.29	0.99	10	complete	NE	NA	Thin	NE	
roduct is stab	o Hazardous po	hymorization will not		tion 10 - Sta			normal combust	tion products such as Carbo	n Diovido
	•	Oxides may occur.			i olig oxiulzilig ag	genits. Il burneu l			JII DIOXIGE,
			Secti	on 11- Toxi	cological In	formation			
			Acute						STOST
		Acute toxicity(oral LD50) rat	toxicity(derm. LD50)rabbit	Skin and Eye	Carcinogen	Mutagon	Reproduct. Toxicity	STOST -Single Exposure	Repeated Exposure
Ingredient			no effect	-	no info	Mutagen no info	no info	Classified	no info
opropanol		>5000mg/kg	no effect	irritation				Classified	
		1,414mg/kg	>2,000mg/kg						
2-butoxy ethanol		(Guinea Pig)	(Guinea Pig)	NE	NE			NE	NE
		2 - Ecological In	formation					al Considerations	
o information	available				-	its original form h local, state and		ed to be a hazardous waste	. Dispose of i
						ii iocal, state and	l leueral regulat		
			6	1. AA T.					
	[tion 14 - Tra	ansport into	ormation	Class	Dedition Comme	170.07
UN number			Basic Descript				Class 3	Packing Group	LTD QT
UN1993		Flammable liquids, n.o.s. (Contains Isopropyl Alcohol)							< 5 L
		Basic Description(IATA)						Packing Group	LTD QT
UN number	Flammable liquids, n.o.s. (Contains Isopropyl Alcohol)							III Packing Group	< 5 L
UN number UN1993			Basic Description(IMDG)						LTD QT
UN number			Basic Descript						
UN number UN1993		Flammable li	quids, n.o.s. (Co	ntains Isopropyl	,		3	Ш	< 5 L
UN number UN1993 UN number UN1993			quids, n.o.s. (Co Sect	ntains Isopropyl	gulatory Inf			,	
UN number UN1993 UN number UN1993	EPCRA) NOTIFIC		quids, n.o.s. (Co Sect	ntains Isopropyl	gulatory Inf			III e Pollution Prevention Act]	

		HMIS:	Health - 1	Flam 1	R - 0	PPE- B	
Date Prepared: 30 May 2024		Prepared by: Environmental, Health and Safety Administrator.					
guidance for safe handling, use	,	disposal, and re	elease and is no	t to be considere	d a warranty or	he information given is designed only as quality specification. The information process, unless specified in the text.	