## Safety Data Sheet

			Section 1 - Product Information	on				
oduct Name:	Ready to Go Stainless Steel	Cleaner & Polish		Supplier:	Intercon Chemica	al Company		
oduct Code N	umber: RSSC	Informatio	on Phone: 314-771-6600		1100 Central Industrial Drive			
roduct use: Sta	inless Steel Cleaner	Emergency	/ Contact: CHEMTREC 1-800-424-9300	Address:	St. Louis, MO 63:	110		
			Section 2 - Hazard Identification	on				
GHS Classificat	ion - Aspiration Hazard (Ca	itegory 1), Flamm	able Liquids (Category 3), Specific Target Orga  Section 2.1 - Label Elements		oosure -Central Ner	rvous System (Category		
	Hazard Pictograms			recautionary Statem	a material			
Signal Word: Danger  Hazard Statements:  H226: Flammable liquid and vapor  H304: May be fatal if swallowed and enters airways  H336: May cause drowsiness or dizziness		P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233: Keep container tighly closed P240: Ground and bond container and receiving equipment. P241: Use explosion proof equipment. P242: Use non-sparking tools. P243: Take action to prevent static discharges. P261: Avoid breathing dust/fume/gas/mist/vapors/spray. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P316+P331: IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Take off all contaminated clothing. Rinse affected areas with water P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P319: Get medical help if you feel unwell. P370+P378: In case of fire: Use foam, solid chemical, or carbon dioxide to extinguish. P403+P233+P235: Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405: Store locked up. P501: Dispose of contents/container in accordance with local/regional/national/international regulations.						
			P319: Get medical help if you feel unwell. P370+P378: In case of fire: Use foam, solic P403+P233+P235: Store in a well-ventilate P405: Store locked up.	d chemical, or carbon ed place. Keep contai	dioxide to extinguiner tightly closed.	uish. Keep cool.		
			P319: Get medical help if you feel unwell. P370+P378: In case of fire: Use foam, solic P403+P233+P235: Store in a well-ventilate P405: Store locked up.	d chemical, or carbon ed place. Keep contai	dioxide to extinguiner tightly closed.	uish. Keep cool.		
		Chemical N	P319: Get medical help if you feel unwell. P370+P378: In case of fire: Use foam, solid P403+P233+P235: Store in a well-ventilat P405: Store locked up. P501: Dispose of contents/container in acc	d chemical, or carbon ed place. Keep contai cordance with local/r	dioxide to extinguiner tightly closed.	uish. Keep cool.		
	Naphth	Chemical N	P319: Get medical help if you feel unwell. P370+P378: In case of fire: Use foam, solid P403+P233+P235: Store in a well-ventilate P405: Store locked up. P501: Dispose of contents/container in acc	d chemical, or carbon ed place. Keep contai cordance with local/r	i dioxide to extingu ner tightly closed. regional/national/ii	uish. Keep cool. nternational regulation		
	Naphth		P319: Get medical help if you feel unwell. P370+P378: In case of fire: Use foam, solid P403+P233+P235: Store in a well-ventilate P405: Store locked up. P501: Dispose of contents/container in acceptable.  Section 3 - Composition ame drotreated heavy	d chemical, or carbon ed place. Keep contain cordance with local/r	a dioxide to extingu ner tightly closed. regional/national/ii	uish. Keep cool. nternational regulation Percent w/w		
	Naphth	a (petroleum), hy	P319: Get medical help if you feel unwell. P370+P378: In case of fire: Use foam, solid P403+P233+P235: Store in a well-ventilate P405: Store locked up. P501: Dispose of contents/container in acceptable.  Section 3 - Composition ame drotreated heavy	d chemical, or carbon ed place. Keep contain cordance with local/r	ndioxide to extinguner tightly closed. regional/national/in	vish.  Keep cool.  International regulation  Percent w/w  78-82		
IF IN EYES: R	·	a (petroleum), hy White miner	P319: Get medical help if you feel unwell. P370+P378: In case of fire: Use foam, solid P403+P233+P235: Store in a well-ventilate P405: Store locked up. P501: Dispose of contents/container in acceptable.  Section 3 - Composition  ame drotreated heavy rail oil	d chemical, or carbon ed place. Keep contain cordance with local/r	ndioxide to extinguner tightly closed. regional/national/in AS# 12-48-9 2-47-5	vish.  Keep cool.  International regulation  Percent w/w  78-82		
	·	White miner	P319: Get medical help if you feel unwell. P370+P378: In case of fire: Use foam, solid P403+P233+P235: Store in a well-ventilate P405: Store locked up. P501: Dispose of contents/container in accommodate of the part of the	d chemical, or carbon ed place. Keep contain cordance with local/r	ndioxide to extinguner tightly closed. regional/national/in AS# 12-48-9 2-47-5	vish.  Keep cool.  International regulation  Percent w/w  78-82		
IF ON SKIN: T	inse cautiously with water	White miner for at least 15 mir othing. Rinse affec	P319: Get medical help if you feel unwell. P370+P378: In case of fire: Use foam, solid P403+P233+P235: Store in a well-ventilate P405: Store locked up. P501: Dispose of contents/container in accommodate of the part of the	d chemical, or carbon ed place. Keep contain cordance with local/r	ndioxide to extinguner tightly closed. regional/national/in AS# 12-48-9 2-47-5	vish.  Keep cool.  International regulation  Percent w/w  78-82		
IF ON SKIN: T	inse cautiously with water ake off all contaminated cl	White miner  for at least 15 mir  othing. Rinse affect	P319: Get medical help if you feel unwell. P370+P378: In case of fire: Use foam, solid P403+P233+P235: Store in a well-ventilate P405: Store locked up. P501: Dispose of contents/container in accordance  Section 3 - Composition  ame  drotreated heavy ral oil  Section 4 - First Aid Measure mutes. Remove contacts, if present and easy to cated areas with water.	d chemical, or carbon ed place. Keep contain cordance with local/r	ndioxide to extinguner tightly closed. regional/national/in AS# 12-48-9 2-47-5	vish.  Keep cool.  International regulation  Percent w/w  78-82		
IF ON SKIN: T	inse cautiously with water ake off all contaminated cl inse mouth. Do NOT induc	White miner  White miner  for at least 15 mir  othing. Rinse affect e vomiting.  and keep comfort	P319: Get medical help if you feel unwell. P370+P378: In case of fire: Use foam, solid P403+P233+P235: Store in a well-ventilate P405: Store locked up. P501: Dispose of contents/container in accordance  Section 3 - Composition  ame  drotreated heavy ral oil  Section 4 - First Aid Measure mutes. Remove contacts, if present and easy to cated areas with water.	d chemical, or carbon ed place. Keep contain cordance with local/recordance with local/r	ndioxide to extinguner tightly closed. regional/national/in AS# 12-48-9 2-47-5	vish.  Keep cool.  International regulation  Percent w/w  78-82		
IF ON SKIN: Tailing in the state of the stat	inse cautiously with water ake off all contaminated cl inse mouth. Do NOT induc	White miner  White miner  for at least 15 mir  othing. Rinse affect e vomiting.  and keep comfort	P319: Get medical help if you feel unwell. P370+P378: In case of fire: Use foam, solid P403+P233+P235: Store in a well-ventilate P405: Store locked up. P501: Dispose of contents/container in accordance of the part of the p	cordance with local/r  cordance with local/r  6474  804  S  do. Continue rinsing	a dioxide to extinguner tightly closed. regional/national/in AS# 12-48-9 2-47-5	Percent w/w 78-82 17-20		
IF ON SKIN: Ta	inse cautiously with water ake off all contaminated cl inse mouth. Do NOT induc emove person to fresh air	White miner  for at least 15 mir othing. Rinse affect e vomiting. and keep comfort.	P319: Get medical help if you feel unwell. P370+P378: In case of fire: Use foam, solid P403+P233+P235: Store in a well-ventilate P405: Store locked up. P501: Dispose of contents/container in accordance of the part of the p	d chemical, or carbon ed place. Keep contain cordance with local/respectively. Contain the cordance with local/respectively. So do. Continue rinsing cordance with local/respectively. So do. Continue rinsing cordance with local/respectively. So do. So do. Continue rinsing cordance with local/respectively. So do. So do. Continue rinsing cordance with local/respectively. So do. So do. Continue rinsing cordance with local/respectively. So do. So do. Continue rinsing cordance with local/respectively.	ndioxide to extinguner tightly closed. regional/national/in PAS# 12-48-9 2-47-5	vish.  Keep cool.  International regulation  Percent w/w  78-82		
IF ON SKIN: T	inse cautiously with water ake off all contaminated cl inse mouth. Do NOT induc emove person to fresh air Limits:	White miner  for at least 15 mir othing. Rinse affect e vomiting. and keep comfort.	P319: Get medical help if you feel unwell. P370+P378: In case of fire: Use foam, solid P403+P233+P235: Store in a well-ventilate P405: Store locked up. P501: Dispose of contents/container in accordance of the part of the p	d chemical, or carbon ed place. Keep contain cordance with local/responses of the cordance with local	ndioxide to extinguner tightly closed. regional/national/in PAS# 12-48-9 2-47-5 ng Procedures: Avcontained positive	Percent w/w 78-82 17-20 roid exposure to fumes e pressurized breathing or equivalent to maintai		

contain spill as a liquid for possible recovery, or absorb with compatible sorbent material and shovel with a clean tool into a sealable container for disposal. Contain spill away from surface water and sewers. Ventilate area and avoid breathing vapor or mist. A vapor suppressing foam may be used to reduce vapors. Remove all ignition sources. Do not touch or walk through spilled product. Stop leak if you can do it without risk. Wear protective equipment and provide engineering controls as specified in SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.

## **Section 7 - Handling and Storage**

Keep container tightly closed. Keep away from heat/sparks/open flame. No smoking. Wear protective gloves and eye/face protection. Ground/Bond container and receiving equipment. Use explosion-proof equipment. Take precautionary measures against static discharge. Use only non-sparking tools. Store in cool/well-ventilated place.

## Safety Data Sheet

			S	ection 8 - E	xposure Cont	rols/PPE					
Ingredier	nt(s)	OSHA PEL:	ACGIH TLV		PPE		General Hygiene Considerations:				
C9-C11 Isoa	lkanes	1,200mg/m3	N/A	-, -: <u>-, -:</u> - <u>-, -:</u>			Handle in accordance with good industrial hygiene and				
White Mineral Oil		5mg/m3	10mg/m3	Skin: I As needed to prevent contact		safety practices. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of					
				Beauticate on Beauticate of a stress tile to d			contact or splash h		ouy in case of		
				Ventilation:	Normal room venti	lation	1				
			Sectio	n 9 - Physic	al and Chemi	cal Proper	ties				
Appearance	Odor	Odor Threshold	рН	Meltin Point	·	Flash Point	Evaporation Rate	Upper/Lower Flammability Limits			
Colorless Liquid	Lemon	NE	NE	NE	NE	116 <sup>0</sup> F 46.6 <sup>0</sup> C	>1	NA	NA		
Vapor Pressure	Vapor Density	Density	Relativ Densit		Partition ty Coefficient	Auto- Ignition Temp.	Decom- position Temp.	Viscosity			

#### Section 10 - Stability and Reactivity

Product is stable. Store in a cool, dry place. Hazardous polymerization will not occur. Incompatible with strong oxidizing agents. If burned, product produces normal combustion products.

Insoluable

Section 11- Toxicological Information										
Ingredients	Toxicity	Acute Toxicity (Dermal LD50) Rabbit	Skin and Eye	Carcinogen		-ductive	Single	STOT Repeated Exposure		
Naphtha (petroleum), hydrotreated heavy	NA	2000 mg/kg	NA	NA	NA	NA	NA	NA		
White mineral oil	NA	NA	NA	NA	NA	NA	NA	NA		

#### **Section 12 - Ecological Information**

No information available.

## **Section 13 - Disposal Considerations**

Thin

This product, in its original form, is considered a hazardous waste (Waste code D001). Consult 40 CFR Part 261 for more information. Dispose of in accodance to local, state, and federal regulations.

Section 14 - Transport Information									
UN number	Basic Description(DoT)	Class	Packing Group	LTD QTY					
NA 1993	Combustible liquid. Not regulated if packed non-bulk per 49 CFR 173.150 (f) (2)								
UN number	Basic Description(IATA)	Class	Packing Group	LTD QTY					
UN 1993	Flammable Liquids, n.o.s. (Contains Naphtha (petroleum))	3	III	1L/pkg., 10L					
UN number	Basic Description(IMDG)	Class	Packing Group	LTD QTY					
UN 1993	Flammable Liquids, n.o.s. (Contains Naphtha (petroleum))	3	III	1L/pkg., 5L					

## **Section 15 - Regulatory Information**

SARA Title III: Does not contain reportable chemicals under sections 302, 304 or 313 of Title III of the Superfund Amendments and Reauthorization act of 1986.

CERCLA: Does not contain chemicals subject to reporting under CERCLA. For more information, consult 40 CFR parts 302, 355, 370, 372 and 68.



17mm Hg

Warning: This product can expose you to chemicals including Myrcene (CAS# 123-35-3) which are known to the State of California to cause cancer and/or birth defects or reproductive harm. For more information go to www.P65Warnings.ca.gov

# Safety Data Sheet

Section 16 - Other Information										
HMIS: Health: 1 Flammability: 2 Physical Haz: 0 PPE:						PPE:	В			
Date Prepared: 5 Mar 2024		Prepared by: Environmental, Health and Safety Administrator.								

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with materials or in any process, unless specified in the text.

Legend for Abbreviations: GHS - Globally Harmonized System, LEL - Lower explosive limit, UEL - Upper explosive limit, NA - not applicable, MSHA - Mine Safety and Health Administration, NIOSH - National Institute for Occupational Safety and Health, TLV - Threshold limit value, OSHA - Occupational Safety and Health Administration, PEL - Permissible exposure limit, ACGIH - American Conference of Governmental Industrial Hygienists, NE - Not Established, STOT - Single target organ toxicity, RCRA - Resource Conservation and Revovery Act, LTD QTY - Limited quantity, DOT - United States Department of Transportation, IATA - International Air Transport Association, IMDG - International Maritime Dangerous Goods, SARA - Superfund Amendments and Reauthorization Act, CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act, CFR - United States Code of Federal Regulations.